

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	566062	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic Digestion Facility	PERMIT NUMBER:	1IN00305*AD
LOCATION:	1146 Herr Rd Fairborn, OH 45324	STATION CODE:	581
COUNTY:	Greene	MONITORING PERIOD :	2016-02-01 To: 2016-02-29
DISTRICT:	SWDO	REPORTING LAB:	Masi Environmental
		ANALYST:	C. Davis
		NO DISCHARGE INDICATOR:	AL

PARAMETER	Biochemical Oxygen Demand, 5 Day	pH	Oil and Grease, Hexane Extr Method	Ammonia (NH3) In Sludge	Nitrogen Kjeldahl, Total In Sludge	Phosphorus, Total In Sludge	Potassium In Sludge
PARAMETER CODE	00310	00400	00552	00611	00627	00668	00938
UNITS	mg/l	S.U.	mg/l	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2016-02-01							
2016-02-02							
2016-02-03							
2016-02-04							
2016-02-05							
2016-02-06							
2016-02-07							
2016-02-08							
2016-02-09							
2016-02-10							
2016-02-11							
2016-02-12							
2016-02-13							
2016-02-14							
2016-02-15							
2016-02-16							
2016-02-17							
2016-02-18							
2016-02-19							
2016-02-20							
2016-02-21							
2016-02-22							
2016-02-23							
2016-02-24							
2016-02-25							
2016-02-26							
2016-02-27							
2016-02-28							
2016-02-29							
Minimum						34200.0	13000.0
Maximum						34200.0	13000.0
Average						34200	13000
Count						1	1
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2016-03-18 13:03	

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	566062	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic	PERMIT NUMBER:	1IN00305*AD
LOCATION:	Digestion Facility	STATION CODE:	581
	1146 Herr Rd	MONITORING PERIOD :	2016-02-01 To: 2016-02-29
	Fairborn, OH 45324	REPORTING LAB:	Masi Environmental
COUNTY:	Greene	ANALYST:	C. Davis
DISTRICT:	SWDO	NO DISCHARGE INDICATOR:	AL

PARAMETER	Arsenic, Total In Sludge	Cadmium, Total In Sludge	Copper, Total In Sludge	Lead, Total In Sludge	Nickel, Total In Sludge	Zinc, Total In Sludge	Selenium, Total In Sludge
PARAMETER CODE	01003	01028	01043	01052	01068	01093	01148
UNITS	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2016-02-01							
2016-02-02							
2016-02-03							
2016-02-04							
2016-02-05							
2016-02-06							
2016-02-07							
2016-02-08							
2016-02-09							
2016-02-10							
2016-02-11							
2016-02-12							
2016-02-13							
2016-02-14							
2016-02-15							
2016-02-16							
2016-02-17							
2016-02-18							
2016-02-19							
2016-02-20							
2016-02-21							
2016-02-22							
2016-02-23							
2016-02-24							
2016-02-25							
2016-02-26							
2016-02-27							
2016-02-28							
2016-02-29							
Minimum	14.0	1.0	388.0	7.0	12.0	615.0	5.0
Maximum	14.0	1.0	388.0	7.0	12.0	615.0	5.0
Average	14	1	388	7	12	615	5
Count	1	1	1	1	1	1	1
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2016-03-18 13:03	

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	566062	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic	PERMIT NUMBER:	1IN00305*AD
LOCATION:	Digestion Facility	STATION CODE:	581
	1146 Herr Rd	MONITORING PERIOD :	2016-02-01 To: 2016-02-29
	Fairborn, OH 45324	REPORTING LAB:	Masi Environmental
COUNTY:	Greene	ANALYST:	C. Davis
DISTRICT:	SWDO	NO DISCHARGE INDICATOR:	AL

PARAMETER	Fecal Coliform in Sludge	Sludge Fee Weight	Sludge Weight	Sludge Solids, Percent Total	Mercury, Total In Sludge	Molybdenum In Sludge	
PARAMETER CODE	31641	51129	70316	70318	71921	78465	
UNITS	MPN/G	dry tons	Dry Tons	%	mg/kg	mg/kg	
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	
SAMPLING TYPE	Composite	Total	Total	Composite	Composite	Composite	
2016-02-01							
2016-02-02							
2016-02-03							
2016-02-04							
2016-02-05							
2016-02-06							
2016-02-07							
2016-02-08							
2016-02-09							
2016-02-10							
2016-02-11							
2016-02-12							
2016-02-13							
2016-02-14							
2016-02-15							
2016-02-16							
2016-02-17							
2016-02-18							
2016-02-19							
2016-02-20							
2016-02-21							
2016-02-22							
2016-02-23							
2016-02-24							
2016-02-25							
2016-02-26							
2016-02-27							
2016-02-28							
2016-02-29							
Minimum	59452.0			6.88	0.03	9.0	
Maximum	59452.0			6.88	0.03	9.0	
Average	59452			6.88	0.03	9	
Count	1			1	1	1	
Name of Responsible Official or Authorized Representative <div style="font-size: 1.2em; font-weight: bold;">Bruce Bailey</div>		I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative <div style="height: 100px;"></div>		Submission Date/Time
							Certification Version Date 2016-03- 18 13:03

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	566062	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic	PERMIT NUMBER:	1IN00305*AD
LOCATION:	Digestion Facility	STATION CODE:	584
	1146 Herr Rd	MONITORING PERIOD :	2016-02-01 To: 2016-02-29
	Fairborn, OH 45324	REPORTING LAB:	
COUNTY:	Greene	ANALYST:	
DISTRICT:	SWDO	NO DISCHARGE INDICATOR:	AL

PARAMETER	Biochemical Oxygen Demand, 5 Day	pH	Oil and Grease, Hexane Extr Method	Ammonia (NH3) In Sludge	Nitrogen Kjeldahl, Total In Sludge	Phosphorus, Total In Sludge	Potassium In Sludge
PARAMETER CODE	00310	00400	00552	00611	00627	00668	00938
UNITS	mg/l	S.U.	mg/l	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2016-02-01							
2016-02-02							
2016-02-03							
2016-02-04							
2016-02-05							
2016-02-06							
2016-02-07							
2016-02-08							
2016-02-09							
2016-02-10							
2016-02-11							
2016-02-12							
2016-02-13							
2016-02-14							
2016-02-15							
2016-02-16							
2016-02-17							
2016-02-18							
2016-02-19							
2016-02-20							
2016-02-21							
2016-02-22							
2016-02-23							
2016-02-24							
2016-02-25							
2016-02-26							
2016-02-27							
2016-02-28							
2016-02-29							
Minimum							
Maximum							
Average							
Count							
Name of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time	
Bruce Bailey						Certification Version Date 2016-03-18 13:03	

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	566062	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic	PERMIT NUMBER:	1IN00305*AD
LOCATION:	Digestion Facility	STATION CODE:	584
	1146 Herr Rd	MONITORING PERIOD :	2016-02-01 To: 2016-02-29
	Fairborn, OH 45324	REPORTING LAB:	
COUNTY:	Greene	ANALYST:	
DISTRICT:	SWDO	NO DISCHARGE INDICATOR:	AL

PARAMETER	Arsenic, Total In Sludge	Cadmium, Total In Sludge	Copper, Total In Sludge	Lead, Total In Sludge	Nickel, Total In Sludge	Zinc, Total In Sludge	Selenium, Total In Sludge
PARAMETER CODE	01003	01028	01043	01052	01068	01093	01148
UNITS	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Composite	Composite	Composite	Composite	Composite	Composite	Composite
2016-02-01							
2016-02-02							
2016-02-03							
2016-02-04							
2016-02-05							
2016-02-06							
2016-02-07							
2016-02-08							
2016-02-09							
2016-02-10							
2016-02-11							
2016-02-12							
2016-02-13							
2016-02-14							
2016-02-15							
2016-02-16							
2016-02-17							
2016-02-18							
2016-02-19							
2016-02-20							
2016-02-21							
2016-02-22							
2016-02-23							
2016-02-24							
2016-02-25							
2016-02-26							
2016-02-27							
2016-02-28							
2016-02-29							
Minimum							
Maximum							
Average							
Count							

Name of Responsible Official or Authorized Representative <div style="border: 1px solid black; padding: 5px; height: 40px; text-align: center;">Bruce Bailey</div>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative <div style="border: 1px solid black; height: 40px;"></div>	Submission Date/Time <div style="border: 1px solid black; padding: 5px; text-align: center;"> Certification Version Date 2016-03-18 13:03 </div>
--	--	---	--

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID:	566062	STATUS:	Original
FACILITY:	Dovetail Energy LLC - Anaerobic	PERMIT NUMBER:	1IN00305*AD
LOCATION:	Digestion Facility	STATION CODE:	584
	1146 Herr Rd	MONITORING PERIOD :	2016-02-01 To: 2016-02-29
	Fairborn, OH 45324	REPORTING LAB:	
COUNTY:	Greene	ANALYST:	
DISTRICT:	SWDO	NO DISCHARGE INDICATOR:	AL

PARAMETER	Fecal Coliform in Sludge	Sludge Fee Weight	Sludge Weight	Mercury, Total In Sludge	Molybdenum In Sludge		
PARAMETER CODE	31641	51129	70316	71921	78465		
UNITS	MPN/G	dry tons	Dry Tons	mg/kg	mg/kg		
FREQUENCY	1/Month	1/Month	1/Month	1/Month	1/Month		
SAMPLING TYPE	Multiple Grab	Total	Total	Composite	Composite		
2016-02-01							
2016-02-02							
2016-02-03							
2016-02-04							
2016-02-05							
2016-02-06							
2016-02-07							
2016-02-08							
2016-02-09							
2016-02-10							
2016-02-11							
2016-02-12							
2016-02-13							
2016-02-14							
2016-02-15							
2016-02-16							
2016-02-17							
2016-02-18							
2016-02-19							
2016-02-20							
2016-02-21							
2016-02-22							
2016-02-23							
2016-02-24							
2016-02-25							
2016-02-26							
2016-02-27							
2016-02-28							
2016-02-29							
Minimum							
Maximum							
Average							
Count							
Name of Responsible Official or Authorized Representative		I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.			Signature of Responsible Official or Authorized Representative		Submission Date/Time
Bruce Bailey							Certification Version Date 2016-03- 18 13:03

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

Dovetail Energy LLC - Anaerobic
Digestion Facility

1146 Herr Rd

Fairborn, OH 45324

PERMIT NUMBER:

MONITORING PERIOD :

1IN00305*AD

2016-02-01 To: 2016-02-29

PARAMETER COMMENTS:

Station Code	Parameter Name	Parameter Code	Date	Unit	Comment
-----------------	-------------------	-------------------	------	------	---------

ED_014244A_00000252-00007